

PolySatin Shutters

Features & Benefit

Feature

Benefit

Polyresin Compound

Made from a advanced exterior grade 3 Polyresin compound to ensure the shutter looks as luxurious tomorrow, as it did today

Consistent Manufacturing

Extrusions are injection moulded at Hunter Douglas Canada ensuring consistency is maintained

Manufactured for over 20 years

Shutters have been sold in Australia, USA & Canada since 1996

Faster Lead Times

Because manufacturing of PolySatin Shutters is in Brisbane, Australia, lead times are between 4 - 6 weeks

Extended Warranty

PolySatin Shutters are backed by a 20 year warranty giving your customer confidence in the product and the overall longevity

Traditional Look

The look & quality your customers demand but at the cost & durability of a polyresin compound

Low Maintenance

PolySatin Shutters are easy to clean with everyday household cleaners or most the time; soap & water

Environmentally Friendly

PolySatin Shutters do no damage our forests

Durability

A colour fast compound with UV stabilizers designed with strength & durability, yet retaining a special warmth feel. Shutters will not blister, peel, flake, corrode or fade & never need painting

Green Guard Certified

Gold standard of sustainable building practices which emit lower levels of chemical emissions

Fire Retardant

PolySatin shutters have inherited flame-retardant qualities built right into the material. Without adding any coating or coverings, PolySatin shutters resists ignition and flame spread burns at a higher temperature than many other materials, and commonly will not burn once the flame source is removed. These characteristics make PolySatin shutters a safe option for both commercial and residential applications

Water Resistant

Ideally suited for use above kitchen sinks, bathrooms or other high humidity areas. PolySatin shutters have no unsightly staples which may rust, and will not blister, peel, flake corrode or fade due to water exposure

Acoustic Insulation

Ensuring lower levels of noise coming into the home when the blades are closed

Additional Insulator

An R-value of 0.31 helps to reduce heating and air conditioning costs and outside noise. Closing the louvres assists in helping keep heat in the home and provide more privacy

Room Darkening

PolySatin shutters are a room darkening product; not a blackout which minimises light coming into the room by approx. 85%. Light bleed still allows light into the space however is considered normal

Modern Manufacturing

Custom crafted in state-of-the-art computerised production facilities that meet today's demanding quality standards

Child Friendly

Product solution for child safety with no cables/cords

Colour Options

PolySatin shutters are available in White, Vanilla and Pearl

Elliptical Louvre Sizes	Louvre blades available in three sizing options; 64mm, 89mm and 114mm (114mm is not available in Vanilla)
Clearview	The optional hidden louvre joiners provide an unobstructed view, giving our classic shutters a clean and contemporary look and is manufactured on the hinge side
Tilt bar	This optional connecting method provides the time honoured look associated with shutters. Louvres can be opened or fully closed in both directions, unlike other shutters which are one-directional only. This method has eliminated unsightly gears or staples which tend to rust or break
Smartview	Patented gear-driven system for one touch control and an unobstructed view. The system completely eliminates the traditional front and rear tilt bar
PowerView Automation	Manual Override of the louvre by hand and a Coupling system designed to operate two panels side by side with the same motor reducing excess charges
Seamless Louvre Caps	Innovative seamless capping technology eliminates the seam between the louvre body and the end cap, for a sleek and modern look
Panel Lock	This unique system eliminates the use of magnets. When panels are closed, a spring-loaded plunger acts as a ball catch to hold the panels in the closed position
Frame Grooves	The spring loaded plungers of the panel lock are located in the integrated groove in all frames. These eliminates the need for magnets and catch plates

Exclusive Deluxe Divider Rail

The unique design of this rail integrates a handle which provides a clean and easy method of opening shutters. Offered as an option to the existing regular divider rail, the deluxe divider rail is the ultimate in functionality, design and elegance

Aluminium Jamb & Louvre Inserts

Provide a hidden reinforcement for patio door shutters & large shutter panels

Factory Installed Two Part Hinge System

Quick & easy to install. Allows panels to be removed easily for cleaning, panels open fully for total access to windows

Light Block & Interlock

Exclusive to PolySatin shutters, they provide both an insulating seal and cover unwanted light gaps between panels

Adjustable Jam Cap

If adjustments are required, the screw located on the bottom of each panel can be threaded in or out of the cap accordingly. Thread into the panel until the screw is virtually invisible when adjustments are not needed

Permanent Finish

Our PolySatin compound features a permanent finish resistant to dents and scratches. Should a scratch occur, it can be removed without harming the finish

Variable Spacing

Increases the standardization of the top & bottom rails of the shutters. Blades are spaced to fit within the panel area for a more consistent finish across the home

Installation Friendly

With less tools to use to complete installation, installation will take shorter periods of time with less extra hands required